

PRO-EV-500B

www.procaremedfurn.com

• Intensity: 1,50,000 Lux

• No. of LED's: 48

• Intensity Control: 10~100 Digital

• Touch Depth Diameter: 10-25 cm

• Spot Diameter: 100-150 mm

• Power Supply: 220V/50Hz AC

• Diameter of Light: 540 mm

• Colour Temp.: 3800 - 4800k • LED Average life: >50000 Hrs.

Focusing: Manual


• Colour Rendering Index: 93 Ra

• Power Consumption: 38.4 Watt

• Dual memory function


Accompanying the Recovery Journey

Create a Safer Environment










Procare


Address: Gate no 197, Dehu Alandi road, Jadhavwadi, Chikali Pune, Maharashtra-411062 Mob no: +91 8377832832

Web Site: www.procaremedfurn.com GST NO: 27ABCFP8176F1ZY

Designs and specifications are subject to change without notice. All images of the product, its components and accessories may not reflect the final product. The images may reflect optional equipment and are subject to change without notice. All information presented herein is based on current data or design goals available at the time of posting and is subject to change without notice. Some equipment and/or features may be unavailable. Actual results of performance and other specifications may differ or vary with production models and may depend on selected models and/or accessories.







PRO-EV-500A

www.procaremedfurn.com

• Intensity: 1,50,000 +1,50,000 Lux

• No. of LED's: 48 + 48

• Intensity Control: 10~100 Digital

• Touch Depth Diameter: 10-25 cm

• Spot Diameter: 100-150 mm

• Power Supply: 220V/50Hz AC

• Diameter of Light: 540+540 mm

• Colour Temp.: 3800 – 4800k

• LED Average life: >50000 Hrs.

• Focusing: Manual


• Colour Rendering Index: 93 Ra


• Power Consumption: 38.4 + 38.4 watt

• Dual Memory Function


Accompanying the Recovery Journey











Procare

Address: Gate no 197, Dehu Alandi road, Jadhavwadi, Chikali Pune, Maharashtra-411062 Mob no: +91 8377832832

Web Site: <u>www.procaremedfurn.com</u> GST NO: 27ABCFP8176F1ZY Designs and specifications are subject to change without notice. All images of the product, its components and accessories may not reflect the final product. The images may reflect optional equipment and are subject to change without notice. All information presented herein is based on current data or design goals available at the time of posting and is subject to change without notice. Some equipment and/or features may be unavailable. Actual results of performance and other specifications may differ or vary with production models and may depend on selected models and/or accessories.