Procare

PRODUCT CATALOGUE

EDITION 2

WWW.PROCAREMEDFURN.COM

| ADDRESS : GATE NO 197, DEHU ALANDI ROAD, JADHAVWADI, CHIKALI PUNE, MAHARASHTRA-411062

| PHONE : 91 8956114459, 91 8956584884

Tip-click on website to viste us / click on number to chat

Procare

TABLE OF CONTENT

SECTION 1

HOSPITAL BEDS & ICU BEDS

Discover Procare's advanced range of hospital and ICU beds designed to provide exceptional comfort, safety, and functionality for healthcare professionals and patients alike.

SECTION 2

REHAB PRODUCTS

Our rehabilitation products are designed to aid recovery and enhance mobility, offering quality and comfort to support every step of the rehabilitation journey.

SECTION 3

OT LIGHT

Explore Procare's state-of-the-art OT lights engineered to deliver precision, reliability, and optimal performance in surgical environments.

SECTION 4

OT TABLE

Procare's state-of-the-art OT tables are designed for precision, stability, and patient safety, ensuring optimal support for surgical teams in every procedure.

PRO001

PREMIUM ICU ELECTRIC BED

2240 mm L x 1080 mm W x 385 mm H (min) x 710 mm H (max)

CLICK HERE

DESCRIPTION:

Experience the best care with our Premium Electric ICU Bed, Which is designed skillfully to satisfy the different requirements of an intensive care unit. Its advanced technology, excellent comfort, and safety offer the best care in the Hospital.

FEATURES OF SEVEN-FUNCTION ELECTRIC ICU BED

- Reverse Trendelenburg - 8° to 10°
- Trendelenburg - 12° - 14°
- Adaptable backrest - 45° to 75°
- Knee rest that can be adjusted - 30° - 35°
- Rapid Fold-Down Technology (CPR)
- Remote embedded in butterfly
- central locking

These features provide accurate positioning and comfort management for faster and better working. Bed offers a one-button CPR system in which you can easily fold down the bed.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

ICU BEDS

PRO002

FIVE-FUNCTION ELECTRIC ICU BED CLICK HERE

2240 mm L x 1080 mm W x 385 mm H (min) x
710 mm H (max)

Functions :

- Height Adjustment - 385 mm -710 mm
- Reverse Trendelenburg - 8° - 10°
- Trendelenburg - 12° - 14°
- Up and down backrest - 75°
- Up and down knee rest - 30° - 35°
- Quick fold-down system (CPR)

Available Colors

PRO003

THREE-FUNCTION ELECTRIC ICU BED CLICK HERE

2240 mm L x 1080 mm W x 385mm (min) x 710 mm H (max)

Functions :

- Backrest : 45° to 75° angle
- Knee Rest: degree adjustment from 30° to 35°
- Height adjustments of the electric bed- 385 mm to 710mm

Available Colors



PRO004

FIVE-FUNCTION MANUAL ICU BED CLICK HERE

2240 mm L x 1080 mm W x 385 mm H (min) x
710 mm H (max)

Functions :

- Adjustable Height: **385 mm** to **710 mm**
- Knee Rest Adjustment: **30° - 35°**
- Backrest Adjustment: Up to **75°**
- Trendelenburg Placement: **12°-14°**
- Trendelenburg Position Reversed: **8°-10°**

Available Colors

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

ICU BEDS

PRO005

FIVE-FUNC MANUAL ICU BED WITH COLLAPSIABLE RAILING

CLICK HERE

2240 mm L x 1080 mm W x 385mm (min) x 710 mm H (max)

Functions :

- Backrest : 45° to 75° angle
- Knee Rest: degree adjustment from 30° to 35°
- Height adjustments of the electric bed- 385 mm to 710mm
- Trendelenburg Placement: 12°-14°
- Trendelenburg Position Reversed: 8°-10°

Available Colors

PRO006

THREE FUNCTION MANUAL ICU BED

CLICK HERE

2240 mm L x 1080 mm W x 385mm (min) x 710 mm H (max)

Functions :

- Backrest : 45° to 75° angle
- Knee Rest: degree adjustment from 30° to 35°
- Height adjustments of the electric bed- 385 mm to 710mm

Available Colors

PRO007

THREE-FUNC MANUAL ICU BED WITH COLLAPSIABLE RAILING

CLICK HERE

2240 mm L x 1080 mm W x 385mm (min) x 710 mm H (max)

Functions :

- Backrest : 45° to 75° angle
- Knee Rest: degree adjustment from 30° to 35°
- Height adjustments of the electric bed- 385 mm to 710mm

Available Colors

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO008 A

FOWLER BED ELECTRIC

CLICK HERE

2240 mm L x 890 mm W x 560 mm H

DESCRIPTION:

Procare offers an exceptional range of Fowler beds, designed to provide optimal patient comfort and ease of use for healthcare providers. Our Fowler beds are engineered with precision and crafted from high-quality materials, ensuring durability and functionality in various healthcare settings.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS, ACCESSORIES ARE SOLD SEPARATELY, AND ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

PRO008 B

FOWLER BED ELECTRIC WITH ABS HEAD / FOOT BOARD

CLICK HERE

2240 mm L x 890 mm W x 560 mm H

Functions :

- Backrest Adjustment: Up to **75°**

Available Colors

PRO010

PRO011 A

SEMI-FOWLER BED ELECTRIC

2240 mm L x 890 mm W x 560 mm H

CLICK HERE

Functions :

- Backrest Adjustment: Up to **75°**

PRO009

FOWLER BED MANUAL WITH ABS HEAD / FOOT BOARD

2240 mm L x 890 mm W x 560 mm H

Functions :

CLICK HERE

- Backrest Adjustment: Up to **75°**

FOWLER BED MANUAL POWDER COATED BOWS

2240 mm L x 890 mm W x 560 mm H

Functions :

- Backrest (75°) to offer the best positioning
- This Fowler Bed comes with an adjustable Knee rest (30°-35°)

PRO011 B

SEMI-FOWLER BED ELECTRIC

2240 mm L x 890 mm W x 560 mm H

CLICK HERE

Functions :

- Backrest Adjustment: Up to **75°**

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO012

SEMI-FOWLER BED MANUAL WITH ABS HEAD/FOOTBOARD

CLICK HERE

2240 mm L x 890 mm W x 560 mm H

Functions :

- Backrest (75°) to offer the best positioning

Available Colors

PRO013

SEMI-FOWLER BED MANUAL POWDER COATED BOWS

2240 mm L x 890 mm W x 560 mm H

CLICK HERE

Functions :

- Backrest Adjustment: Up to **75°**

SEMI-FOWLER BED ELECTRIC WITH ABS HEAD/FOOTBOARD

2240 mm L x 890 mm W x 560 mm H

CLICK HERE

Functions :

- Backrest (75°) to offer the best positioning

PLAIN BED AND ATTENDED BED

PRO014

DELUXE PLAIN BED

CLICK HERE

1830mmx 830mmx 560mm

PRO015

PLAIN BED

CLICK HERE

1830mmx 830mmx 560mm

PRO016

ATTENDED BED

CLICK HERE

1830mm x 620mm x 460mm

PRO017

CLICK HERE

DELUXE ATTENDED BED

1830mm x 620mm x 460mm

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

ACCESSORIES

PRO029

MICHI M1 HEAD/FOOT BOW

PRO030

MICHI M1 HEAD/FOOT BOW

PRO031

MICHI M1 HEAD/FOOT BOW

PRO032

MICHI M1 HEAD/FOOT BOW

PRO033

MISAN M3 HEAD/FOOT BOW

PRO034

MIROKU MSR1 SIDE RAILING

PRO035

MINANA MSR2 SIDE RAILING

PRO036

MSR4 SMALL SIDE RAILING

PRO037

DRAG AND DROP RAILING

PRO038

SS COLLAPSIBLE RAILING

PRO039

HEAVY SS DELUXE COLLAPSIBLE RAILING

PRO040

SS PREMIUM COLLAPSIBLE RAILING

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO041

5" ABS COVER WHEEL

PRO042

5" DELUXE ABS COVER WHEEL

PRO043

5" PREMIUM ABS COVER WHEEL

PRO044

5" PREMIUM ABS COVER TWIN WHEEL

PRO045



PLAIN MATTRESS

PRO046

PILLOW

PRO047

SEMI FOWLER MATTRESS

PRO048



FOWLER MATTRESS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

BED SIDE ACCESSORIES

PRO049

IV STAND

PRO050

SRYINGE PUMP STAND

PRO051

TELESCOPIC IV ROD

PRO052

CEILING MOUNTED IV ROD

PRO053

BEDSIDE LOCKER

PRO054

SS BEDSIDE LOCKER

PRO055

DELUXE BEDSIDE LOCKER

PRO056

DELUXE SS BEDSIDE LOCKER

PRO057

BEDSHEET / PILLOW COVER SET

PRO058

MODULAR CURTAINS

PRO059

BEDSIDE SCREEN 3 FOLD

PRO060

BACKREST SYSTEM FOR BED

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

MATERNITY /PEDIATRIC BEDS

PRO018

MATERNITY PLAIN BED WITH SS CRADELLAND BOWS

1830mmx 830mmx 560mm

CLICK HERE

PRO019

MATERNITY PLAIN BED WITH POWDER COATED CRADELL AND BOWS

1830mmx 830mmx 560mm

CLICK HERE

PRO020

MATERNITY SEMI FOWLER BED WITH SS CRADELL AND BOWS

1830mmx 830mmx 560mm

CLICK HERE

PRO021

PEDIATRIC PLAIN BED

1575mmx 860mmx 570mm ht

CLICK HERE

PRO022

SEMI FOWLER -PEDIATRIC BED WITH ABS PANEL

CLICK HERE

1575mmx 860mmx 570mm ht

PRO023

BABY CRADEL ABS

CLICK HERE

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

PRO024

CLICK HERE

BABY CRADELL POWDER COATED

920mmx 530mmx 960mm

PRO025

BABY CRADELL SS202

CLICK HERE

920mmx 530mmx 960mm

PRO026

BABY BASSINET SS202

CLICK HERE

800mmx 480mmx 900mm.

PRO027

CLICK HERE

ELECTRIC LABOUR BED

1830mmx 610mmx 385mm to 710mm ht

Our premier Electric Labor Bed is a pinnacle of innovation in maternity care, seamlessly integrating advanced technology with the specific needs of laboring mothers. With electrically adjustable features, such as **height, backrest, and leg positions,** this bed provides unparalleled flexibility to accommodate various birthing preferences and medical requirements.

PRO028

CLICK HERE

ELECTRIC SONOGRAPHY TABLE

1830mmx 610mmx 385mm to 710mm ht

Our top-tier Electric Sonography Table stands at the forefront of diagnostic imaging, offering a sophisticated platform designed for optimal patient positioning during ultrasound examinations. With electrically adjustable height, pelvic region up, and backrest features, this table ensures precise positioning for varied imaging needs, enhancing the accuracy of ultrasound scans

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

GYNECOLOGY BED & 0PD COUCH/TABLE

PRO061

3 FOLD GYNAECOLOGICAL TABLE

CLICK HERE

1830mmx 610mmx 810mmht

PRO062

PLAIN GYNAECOLOGICAL TABLE

1830mmx 610mmx 810mmht

CLICK HERE

PRO063

PLAIN BACKREST GYNAECOLOGICAL TABLE

1830mmx 610mmx 810mmht

CLICK HERE

PRO064

FULL GYNAECOLOGICAL EXAMINATION COUCH

1830mmx 610mmx 810mmht

CLICK HERE

PRO065

BACKREST GYNAECOLOGICAL EXAMINATION COUCH

1830mmx 610mmx 810mmht

CLICK HERE

PRO066

1 DRAWER 3 CABINET GYNAECOLOGICAL EXAMINATION COUCH

1830mmx 610mmx 810mmht

CLICK HERE

PRO067

FIX LABOUR TABLE WITH BACKREST ,TELESCOPIC KNEEREST

1830mmx 610mmx 810mmht

CLICK HERE

PRO068

HYDRAULIC LABOUR TABLE

1830mmx 610mmx 810mmht

CLICK HERE

PRO069

KANGAROO MOTHER CARE CHAIR SS

1830mmx 610mmx 810mmht

CLICK HERE

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

GENERAL OPD EXAMINATION COUCH/TABLE

PRO070

PLAIN EXAMINATION TABLE

CLICK HERE

1830mmx 610mmx 810mmht

PRO071

PLAIN BACKREST EXAMINATION TABLE

1830mmx 610mmx 810mmht CLICK HERE

PRO072

FULL EXAMINATION COUCH 4 DRAWER 4 CABINET

1830mmx 610mmx 810mmht CLICK HERE

PRO073

EXAMINATION COUCH 3 DRAWER 3 CABINET

1830mmx 610mmx 810mmht CLICK HERE

PRO074

EXAMINATION COUCH 2 DRAWER 2 CABINET

1830mmx 610mmx 810mmht CLICK HERE

PRO075

EXAMINATION COUCH 1 DRAWER 1 CABINET

1830mmx 610mmx 810mmht CLICK HERE

PRO076

CLICK HERE

ELECTRIC OPD EXAMINATION TABLE

1830mmx 610mmx 810mmht

The Procare Best Electric Examination Table sets a new standard in medical examination furniture, seamlessly blending technological innovation with patient-centric design. With electrically adjustable features such as height and positioning, this table ensures optimal patient comfort while facilitating efficient examinations for healthcare professionals.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

PATIENT TRANSFER TROLLEY

PRO077

PREMIUM EMERGENCY RECOVERY TROLLEY

CLICK HERE

1830mmx 610mmx 385mm to 710mm ht

The Procare Best Patient Transfer Trolley redefines efficiency and safety in healthcare logistics, offering a seamlessly designed solution for smooth patient transfers within medical facilities. With its ergonomic build and advanced maneuverability features, this trolley ensures the swift and secure movement of patients between different areas, minimizing discomfort and streamlining healthcare processes.

PRO078

HYDRAULIC EMERGENCY RECOVERY TROLLEY

CLICK HERE

2100mm x 710mmx 650 to 950mmht

PRO079

MANUAL EMERGENCY RECOVERY TROLLEY

CLICK HERE

2100mm x 710mmx 650 to 950mmht

PRO080

AMBULANCE STRECHER

CLICK HERE

PRO081

SPINE STRECHER

CLICK HERE

PRO082

BASKET STRECHER

CLICK HERE

PRO083

SCOOP STRECHER

CLICK HERE

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS, ACCESSORIES ARE SOLD SEPARATELY, AND ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO084

STRECHER ON TROLLEY ABS

CLICK HERE

2100mm x 710mmx 810mm ht

PRO085

STRECHER ON TROLLEY DELUXE

CLICK HERE

2100mm x 710mmx 810mm ht

PRO086

STRECHER ON TROLLEY GENERAL

CLICK HERE

2100mm x 710mmx 810mm ht

PRO087

2 FOLD STRECHER ON TROLLEY

CLICK HERE

2100mm x 710mmx 810mm ht

PRO088

SS STRETCHER ON TROLLEY GENERAL

CLICK HERE

2100mm x 710mmx 810mm ht

PRO089

ROLLER SHIFTER

CLICK HERE

PRO090

PLAIN CANVAS STRECHER

CLICK HERE

PRO091

2 FOLD CANVAS STRECHER

CLICK HERE

PRO092

4 FOLD CANVAS STRECHER

CLICK HERE

WWW.PROCAREMEDFURN.COM

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

CRASH CART TROLLEY

PRO093

CRASH CART POWDER COATED

940mmx 490mmx 1535mm ht

PRO094

CRASH CART SS 202/304

940mmx 490mmx 1535mm ht

PRO095

CRASH CART ABS

PRO096

EMERGENCY CRASH CART PC

DIAGNOSTIC CHAIRS

PRO097

SIMPLE BLOOD COLLECTION CHAIR

900mm x w 580 mm x H 1750 mm

PRO098

DELUXE BLOOD COLLECTION CHAIR

610mmx 610mmx 960 mm H

PRO099

DELUXE BLOOD COLLECTION CHAIR

610mmx 610mmx 960 mm H

PRO100

DELUXE LAB SERIES PADDED BLOOD DRAWING CHAIR

610mmx 610mmx 960 mm H

PRO101

DAILYSIS CHIAR

Available in colors

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WARD EQUIPMENTS

Procare

PRO113

MEDICINE TROLLEY

CLICK HERE

710mmx 460mmx 810mm ht

PRO114

ECG MACHINE TROLLEY

380mmx 510mmx 760mm ht

PRO115

INSTRUMENT TROLLEY

710mmx 460mmx 810mm ht

PRO116

DRESSING TROLLEY

710mmx 460mmx 810mm ht

PRO117

BEDSIDE SERVICE TROLLEY MS

710mmx 460mmx 810mm ht

PRO118

BEDSIDE SERVICE TROLLEY SS

710mmx 460mmx 810mm ht

PRO119

BEDSIDE DRUG TROLLEY SS TOP

460mmx 330mmx 860mm ht

PRO120

BEDSIDE DRUG TROLLEY SS

460mmx 330mmx 860mm ht

PRO121

MAYO TROLLEY

410mmx 560mmx 890 to 1400mm ht

PRO122

MAYO TROLLEY DOUBLE PILLAR

410mmx 560mmx 890 to1400mm ht

PRO123

BIO MEDICAL WASTE TROLLEY MS

PRO124

BIO MEDICAL WASTE TROLLEY SS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WARD EQUIPMENTS

Procare

PRO125

LINEN TROLLEY WITH CANVAS

540mm dia x 920mmht

PRO126

LINEN TROLLEY WITH BUCKET

PRO127

LINEN TROLLEY WITH 3 SHELF

915mmx 510mmx 915mm ht

PRO128

LINEN TROLLEY RECTANGULAR

915mmx 510mmx 915mm ht

PRO129

KICK BOWL

PRO130

TELESCOPIC SINGLE PILLAR WASH BASIN SS

PRO131

TELESCOPIC DOUBLE PILLAR WASH BASIN SS

PRO132



BURN CAGE

PRO133

REVOLVING STOOL SS TOP

PRO134

REVOLVING STOOL FULL SS

PRO135

ALL PURPOSE STOOL FULL PC

PRO136

ALL PURPOSE STOOL PC SS TOP

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO137

ALL PURPOSE STOOL
PC FULL SS

PRO138

ROUND FRAME
SMALL
OXYGEN TROLLEY

PRO139

JUMBO OXYGEN
TROLLEY

PRO140

JUMBO OXYGEN
TROLLEY

PRO141

SINGLE FOOT
STEP PC

PRO142

DOUBLE FOOT
STEP PC

PRO143

SINGLE FOOT
STEP SS

PRO144

DOUBLE FOOT
STEP SS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

REHAB PRODUCTS

OUR RANGE OF REHABILITATION PRODUCTS IS DESIGNED TO SUPPORT RECOVERY AND ENHANCE MOBILITY. FROM ERGONOMIC WALKERS TO VERSATILE THERAPY AIDS, EACH PRODUCT IS CRAFTED WITH PRECISION AND CARE TO HELP PATIENTS REGAIN STRENGTH, IMPROVE FUNCTION, AND ACHIEVE INDEPENDENCE. WITH A FOCUS ON QUALITY, COMFORT, AND EASE OF USE, OUR REHAB SOLUTIONS ARE ESSENTIAL TOOLS IN THE JOURNEY TOWARD FULL RECOVERY. TRUST IN OUR PRODUCTS TO DELIVER THE SUPPORT NEEDED AT EVERY STAGE OF REHABILITATION.

PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

REHAB PRODUCTS

PRO145

COMM CHAIR JUMBO SS SQ PIPE

PRO146

COMM. CHAIR SS DLX

PRO147

COMM. CHAIR FIBRE HANDLE

PRO148

COMM. CHAIR METAL HANDLE

PRO149

COMM. CHAIR MS FOLDING HANDLE

PRO150

COMM CHAIR MS WITHOUT BACKREST

PRO151

COMM CHAIR SS WITHOUT BACKREST

PRO152

COMM ROUND MS STOOL

PRO153

COMM ROUND SS STOOL

PRO154

COMM SOUARE MS STOOL

PRO155

COMM SOUARE SS STOOL

PRO156

WLL MOUNTED COMM STOOL PC

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

REHAB PRODUCTS

PRO157

WALL MOUNTED COMM STOOL

PRO158

WALL MOUNTED COMM STOOL SS HIEGHT ADJ

PRO159

FOLDING WALKER

PRO160

FOLDING WALKER WITH WHEELS

PRO161

STICK SINGLE PC

PRO162

STICK SINGLE SS

PRO163

STICK TRIPOD METAL BASE PC

PRO164

STICK TRIPOD PLASTIC BASE PC

PRO165

STICK TRIPOD METAL BASE SS

PRO166

STICK TRIPOD PLASTIC BASE SS

PRO167

STICK QUADRIPOD METAL BASE PC

PRO168

STICK QUADRIPOD PLASTIC BASE PC

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WHEEL CHAIR

Procare

PRO170

WHEEL CHAIR
PC

PRO171

WHEEL CHAIR
SS

PRO172

FIXED WHEEL
CHAIR MS

PRO173

WHEEL CHAIR
SS

PRO174

ELECTRIC
WHEEL CHAIR

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

INSTRUMENTS

PRO175

NEEDLE DESTROYER ELECTRIC MINI ALUMINIUM

PRO176

NEEDLE DESTROYER MANNUL

PRO177

NEEDLE DESTROYER MANNUL ABS BODY

PRO178

X-RAY VIEW BOX LED SINGLE SENSOR & CONTROLLER

PRO179



X-RAY VIEW BOX LED DOUBLE SENSOR & CONTROLLER

PRO180

FOGGER PLASTIC ABS BODY

PRO181

FOGGER STAINLESS STEEL

PRO182

ROTATOR OF FOGGER

PRO183

FUMIGATOR 1.5 LTR

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

INSTRUMENTS

PRO184

FUMIGATOR 5 LTR

PRO185

AVAILBLE SIZE : A) 9X9
B) 11X9
C) 12X15

DRESSING DRUM JOINTED /JOINTLESS

PRO186

AVAILBLE SIZE : A) 8X6
B) 9X6
C) 10X8
D) 11X7
E) 12X8
F) 12x10
G) 15x12
H) 12x18

SURGICAL TRAY S.S WITH COVER

PRO187

D) 12"
C) 10"
B) 8"
A) 6"

KIDNEY TRAY

PRO188

BABY TRAY 12X18X3

PRO189

OXYGEN FLOWMETER WITH METAL BODY

PRO190

AVAILBLE SIZE : A) 8X5X3
B) 10X5X3
C) 12X6X4
D) 14X6X4
E) 16X6X4
F) 18X8X6
G) 20X8X6

STERLIZER S.S JOINTED ELECTRIC

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

SUCTION MACHINE

Procare

PRO191

OPTIONS:

A) SUCTION APPRATER 1/2 HP ELECTRIC COPPER MOTOR

B) SUCTION APPRATER 1/2 HP ELECTRIC ALLUMINIUM MOTOR

C) SUCTION APPRATER 1/4 HP ELECTRIC STAINLESS STEEL COPPER MOTOR

D) SUCTION APPRATER 1/4 HP ELECTRIC STAINLESS STEEL ALLUMINIUM MOTOR

E) SUCTION APPRATER 1/4 HP ELECTRIC ALUMINIUM MOTOR

F) SUCTION APPRATER 1/4 HP ELECTRIC COPPER MOTOR

SUCTION MACHINE WITH POLYCARBONATE JAR

PRO192

A) SUCTION APPRATER 1/4 HP ELECTRIC COPPER MOTOR
B) SUCTION APPRATER 1/4 HP ELECTRIC ALUMINIUM MOTOR

SUCTION MACHINE WITH GLASS JAR

PRO193

ELECTRIC CUM FOOT SUCTION MACHINE 1/4 HP GLASS JAR

PRO194

FOOT SUCTION M/S

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

PRO195

YUWELL 7A-23B ELECTRIC SUCTION MACHINE

PRO196

YUWELL 7A-23D ELECTRIC SUCTION MACHINE

PRO197

YUWELL 7A-23A SUCTION MACHINE

PRO198

YUWELL 7E-H1 SUCTION MACHINE

PRO199

YUWELL 7E-G1 SUCTION MACHINE

PRO200

YUWELL 7E-B5 SUCTION MACHINE

PRO201

PORTABLE SUCTION MACHINE

PRO202

YUWELL 7B PEDAL SUCTION APPARATUS

PRO203

YUWELL 7B-1 MANUAL SUCTION APPARATUS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

AUTOCALVE

PRO204

LINK

A)	AUTOCLAVE ALLUMINIUM ELECTRIC	12X12
B)	AUTOCLAVE ALLUMINIUM ELECTRIC	12X15
C)	AUTOCLAVE STAINLESS STEEL (Deluxe)	12X22
D)	AUTOCLAVE ALLUMINIUM NON ELECTRIC	12X12
E)	AUTOCLAVE SS BAKELITE KNOB	12X22
F)	AUTOCLAVE STAINLESS STEEL	12X12
G)	AUTOCLAVE COOKER TYPE ELECTRIC	12X12
H)	AUTOCLAVE COOKER TYPE ELECTRIC	11X9

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

AUTOCLAVE

PRO205

LINK

I)	AUTOCLAVE COOKER TYPE NON-ELECTRIC	12x12
J)	AUTOCLAVE NON ELECTRIC (ALUMINIUM)	12X15
K)	AUTOCLAVE SS NON ELECTRIC (Deluxe)	12X22
L)	AUTOCLAVE COOKER TYPE ELECTRIC	12X22
M)	AUTOCLAVE VERTICAL SS NORMAL	16X24
N)	AUTOCLAVE VERTICAL SS NORMAL WITH DIGITAL TIMER	16X24
O)	AUTOCLAVE VERTICAL SS 304 NORMAL WITH DIGITAL TIMER	12X30
P)	AUTOCLAVE VERTICAL SS NORMAL WITH DIGITAL TIMER	12X22

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

VERTICAL HIGH PRESSURE AUTOCLAVE

A)	AUTOCLAVE VERTICAL SS HIGH PRESSURE RADIAL LOCKING	12 X 20
B)	AUTOCLAVE VERTICAL SS HIGH PRESSURE WINGNUT LOCKING	12 X 20
C)	AUTOCLAVE VERTICAL SS HIGH PRESSURE RADIAL LOCKING	16 X 24
D)	AUTOCLAVE VERTICAL SS HIGH PRESSURE RADIAL LOCKING STEAM LOCK	16 X 24
E)	AUTOCLAVE VERTICAL SS-304 HIGH PRESSURE WINGNUT LOCKING	12 X 30
F)	AUTOCLAVE VERTICAL SS-304 HIGH PRESSURE WINGNUT LOCKING	12 X 22
G)	AUTOCLAVE VERTICAL HIGH PRESSURE WINGNUT LOCKING	16 X 24
H)	AUTOCLAVE VERTICAL HIGH PRESSURE RADICAL LOCKING	22 X 30
I)	AUTOCLAVE VERTICAL HIGH PRESSURE RADICAL LOCKING	14 X 22

PRO206

KEY FEATURES

- DIGITAL TIMER & TEMPERATURE DISPLAY
- COMPLETE 304 STAINLESS STEEL
- WATER LEVEL
- LOW WATER CUT
- RADIAL / WINGNUT LOCKING SYSTEM
- PADDLE LIFTING
- ALARM SYSTEM

HORIZONTAL HIGH PRESSURE AUTOCLAVE

A)	AUTOCLAVE HORIZONTAL WITH MULTIFOUR	20 X 48
B)	AUTOCLAVE HORIZONTAL WITH MULTIFOUR	16 X 36
C)	AUTOCLAVE HORIZONTAL WITH MULTIFOUR	16 X 24
D)	AUTOCLAVE HORIZONTAL WITH MULTIFOUR	20 X 36
E)	AUTOCLAVE HORIZONTAL WITH MULTIFOUR	16 X 44

PRO207

KEY FEATURES

- DIGITAL TIMER & TEMPERATURE DISPLAY
- COMPLETE 304 STAINLESS STEEL
- RADIAL PRESSURE LOCKING SYSTEM
- WITH & WITHOUT BACTERIAL FILTER
- WITH & WITHOUT MULTIFOUR
- WATER LEVEL
- LOW WATER CUT
- PADDLE LIFTING
- ALARM SYSTEM

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WAITING CHAIRS

PRO208

WAITING CHAIRS
CHROME WITH CUSHION

PRODUCT SIZE : L 180 X W 65 X H 79 CM

ARM & LEG : 1.2 mm die-casting steel powder coated after anti-rust

BACK & SEAT : 1.2 mm steel powder coated after anti-rust with PVC or PU Coated

BEAM : 1.5 mm pipe steel powder coated after anti-rust

- SINGLE SEATER
- TWO SEATER
- THREE SEATER
- FOUR SEATER



PRO209

WAITING CHAIRS
CHROME

PRODUCT SIZE : L 180 X W 65 X H 79 CM

ARM & LEG : 1.2 mm die-casting steel powder coated after anti-rust

BACK & SEAT : 1.2 mm steel powder coated after anti-rust with PVC or PU Coated

BEAM : 1.5 mm pipe steel powder coated after anti-rust



- SINGLE SEATER
- TWO SEATER
- THREE SEATER
- FOUR SEATER

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WAITING CHAIRS

PRO210

MATT FINISH WAITING CHAIR

PRODUCT SIZE : L 180 X W 65 X H 79 CM

ARM & LEG : 1.2 mm die-casting steel powder coated after anti-rust

BACK & SEAT : 1.2 mm steel powder coated after anti-rust with PVC or PU Coated

BEAM : 1.5 mm pipe steel powder coated after anti-rust

- SINGLE SEATER
- TWO SEATER
- THREE SEATER
- FOUR SEATER

PRO211

MATT FINISH WAITING CHAIR WITH CUSHION

PRODUCT SIZE : L 180 X W 65 X H 79 CM

ARM & LEG : 1.2 mm die-casting steel powder coated after anti-rust

BACK & SEAT : 1.2 mm steel powder coated after anti-rust with PVC or PU Coated

BEAM : 1.5 mm pipe steel powder coated after anti-rust

- SINGLE SEATER
- TWO SEATER
- THREE SEATER
- FOUR SEATER

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

CHIROPRACTIC TABLE

PROT032

TILT TABLE ELECTRIC PREMIUM

Procare's Electric Premium Chiropractic Tilt Table is the ultimate solution for chiropractic and therapeutic practices, offering advanced features designed to enhance patient care and practitioner convenience.

PROT030



TILT TABLE MANUAL

PROT031

TILT TABLE ELECTRIC

PROT033

SPINAL DECOMPRESSION TABLE WITH CHIROPRACTIC DROP DELUXE

PROT034



SPINAL DECOMPRESSION TABLE WITH CHIROPRACTIC DROP

PROT035

CHIROPRACTIC DROP THREE TABLE

PROT036



CHIROPRACTIC DROP THREE TABLE

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

CHIROPRACTIC TABLE

PROT037

CHIROPRACTIC DROP TWO TABLE

PROT038

CHIROPRACTIC DROP ONE TABLE

CHIROPRACTIC DROP ONE TABLE

PROT039

CHIROPRACTIC DROP FIVE TABLE

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

LED OT LIGHTS & OT TABLE

Procare LED OT Lights and OT Table are designed to meet the exacting demands of modern surgical environments, ensuring optimal performance, reliability, and ease of use.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS, ACCESSORIES ARE SOLD SEPARATELY, AND ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

FLARE 7 SURGICAL LIGHTS



FLARE 7

LUX INTENSITY :2,00,000
LUX NUMBERS OF LED'S : 84 LED

FLARE 6

LUX INTENSITY : 1,75,000
LUX NUMBERS OF LED'S : 71 LED

FLARE 5

LUX INTENSITY : 1,50,000
LUX NUMBERS OF LED'S : 58 LED

FLARE 4

LUX INTENSITY : 1,25,000
LUX NUMBERS OF LED'S : 45 LED





Procare's Flare Series OT Lights are designed to provide exceptional illumination, enhancing visibility and precision in the operating room. This series includes three types of lights to cater to different surgical needs: Single Dome Light, Double Dome Light & Mobile Stand Light.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 707

TECHNICAL DATA

INTENSITY - 2,00,000 + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 + 84
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION -5 DUAL MEMORY FUNCTION

PRE706

TECHNICAL DATA



INTENSITY - 2,00,000 + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 + 71
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION -5 DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 705

TECHNICAL DATA

INTENSITY - 2,00,000 + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 + 84
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE704

TECHNICAL DATA



INTENSITY - 2,00,000 + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 + 71
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION -5 DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 7



TECHNICAL DATA

INTENSITY - 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 +
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 6



TECHNICAL DATA

INTENSITY - + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 58
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 5

TECHNICAL DATA

INTENSITY - 1,50,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 60
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 4

TECHNICAL DATA

INTENSITY - + 1,25,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

VEGA SURGICAL LIGHTS

VEGA 6

LUX INTENSITY :1,75,000
LUX NUMBERS OF LED'S : 82 LED

VEGA 3

LUX INTENSITY : 1,25,000
LUX NUMBERS OF LED'S : 57 LED

WIRELESS HD CAMERA OPTIONAL

MONITOR OPTIONAL

PRE 606

TECHNICAL DATA

INTENSITY - 1,70,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 88 + 88
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 603

TECHNICAL DATA

INTENSITY - 1,70,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 82 + 57
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 6

TECHNICAL DATA

INTENSITY - 1,70,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 82
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 3

TECHNICAL DATA

INTENSITY - + 1,25,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 83
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

SURGICAL LIGHTS

ASTER SURGICAL LIGHTS



ASTER 4 H

LUX INTENSITY :1,50,000
LUX NUMBERS OF LED'S :
52 LED

ASTER 3 H

LUX INTENSITY : 1,15,000
LUX NUMBERS OF LED'S :
39 LED

PRE 404

TECHNICAL DATA

INTENSITY - 1,50,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 52 X2
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 403 H

TECHNICAL DATA

INTENSITY - 1,50,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 52 X2
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION



PRE 4H

TECHNICAL DATA

INTENSITY - 1,50,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 52
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 3H

TECHNICAL DATA

INTENSITY - + 1,15,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 39
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

SURGICAL LIGHTS

OSSIO SURGICAL LIGHTS

OSSIO 5

LUX INTENSITY :1,55,000
LUX NUMBERS OF LED'S :
55 LED

OSSIO 4

LUX INTENSITY : 1,35,000
LUX NUMBERS OF LED'S :
44 LED

OSSIO 3

LUX INTENSITY : 1,00,000
LUX NUMBERS OF LED'S :
33 LED

PRE 505

TECHNICAL DATA

INTENSITY - 1,55,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 52
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION



* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 504

TECHNICAL DATA

INTENSITY - 1,75,000 + 1,75,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 55 + 44
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 403

TECHNICAL DATA

INTENSITY - 2,00,000 + 2,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 84 + 71
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION -5 DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 404

TECHNICAL DATA

INTENSITY - 1,35,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 44X2
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 5



TECHNICAL DATA

INTENSITY - 1,55,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 55
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 4

TECHNICAL DATA

INTENSITY - + 1,35,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 44
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 3

TECHNICAL DATA

INTENSITY - + 1,00,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 33
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

ORION SURGICAL LIGHTS



ORION 5

LUX INTENSITY :1,60,000
LUX NUMBERS OF LED'S :
60 LED

ORION 4

LUX INTENSITY : 1,45,000
LUX NUMBERS OF LED'S :
48 LED

ORION 3

LUX INTENSITY : 1,10,000
LUX NUMBERS OF LED'S :
36 LED

PRE 505

TECHNICAL DATA

INTENSITY - 1,60,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 60
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION



* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 504

TECHNICAL DATA

INTENSITY - 1,60,000 + 1,60,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 60 + 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 404



TECHNICAL DATA

INTENSITY - 1,45,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION -5 DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

PRE 403

TECHNICAL DATA

INTENSITY - 1,45,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48 X 36
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 5



TECHNICAL DATA

INTENSITY - 1,60,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 60
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 4

TECHNICAL DATA

INTENSITY - + 1,45,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

PRE 3



TECHNICAL DATA

INTENSITY - + 1,10,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 36
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SURGICAL LIGHTS

EVA SURGICAL LIGHTS

PRE 500

TECHNICAL DATA

INTENSITY - 1,50,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION



PRE 250

TECHNICAL DATA

INTENSITY - 1,50,000 X 2 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - MANUAL
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 48
POWER SUPPLY - 220V/50HZ AC
SPECIAL FUNCTION - DUAL MEMORY FUNCTION

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

EXAMINATION LIGHT

PRE101

TECHNICAL DATA

INTENSITY - 50,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - FIX FOCUSING
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 12
POWER SUPPLY - 220V/50HZ AC

PRE 109

TECHNICAL DATA

INTENSITY :	35,000 Lux
SPOT DIAMETER :	100-150mm
DEPTH DIAMETER:	10-25 cm 91
COLOUR RENDERING INDEX:	Ra
FOCUSING:	Fix focusing
COLOUR TEMP :	3800 - 4800k

NUMBERS OF LED:	09
DIAMETER OF LIGHT:	150MM
POWER CONSUMPTION:	7.2 WATT
POWER SUPPLY:	220V/50HZ AC
LED AVERAGE LIFE:	>50,000 HRS

PRE 105

TECHNICAL DATA

INTENSITY - + 30,000 LUX
SPOT DIAMETER - 100-150 MM
COLOUR TEMP. - 3800 - 4800 K
COLOUR RENDERING INDEX - 93 RA
DEPTH ILLUMINAON 10-15 CM

FOCUSSING - FIX FOCUSING
LED AVERAGE LIFE - >50000 HRS
NUMBER'S OF LED'S - 5
POWER SUPPLY - 220V/50HZ AC

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

OT TABLE

HYDRAULIC OT TABLE (SUPER DULEXE) 500 H

FEATURES:-

- HYDRAULIC AND MECHANICAL OPERATED.
- CENTRIC BASE MADE FROM HIGH QUALITY STAINLESS STEEL.
- LEG & HEAD SECTION ARE INTERCHANGEABLE.
- CENTRIC PILLARS, STAINLESS FITTING.
- DETACHABLE HEAD, LEG AND PELVIC SECTION.
- INBUILT KIDNEY BRIDGE.
- BASE AND COVER MADE OF ATTRACTIVE, EASY TO CLEAN STAINLESS STEEL.

TECHNICAL DATA

TOP DIMENSION - L 1900MM X W 520MM
HEIGHT ADJUSTMENT - 762MM - 1000 MM
TRENDELENBRUG / REVERSE - 30° / 25°
LATERAL TILT - 20° / 20°
KIDNEY ELEVATOR - 150 MM
BACK REST (UP / DOWN) - 80° / 25°
LEG REST (UP / DOWN) - 15° / 90°
HEAD REST (UP / DOWN) - 20° / 60°
PATIENT WEIGHT CAPACITY - 150 KGS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS, ACCESSORIES ARE SOLD SEPARATELY, AND ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

OT TABLE

HYDRAULIC OT TABLE (SUPER DULEXE) 600 H

FEATURES:-

- TABLE TOP IS MADE WITH STAINLESS STEEL GRADE 304 TO AVOID RUST WITH CANCELED PUMP.
- THE FIVE SECTION STAINLESS STEEL TABLE TOP IS EQUIPPED WITH REMOVABLE, ANTISTATIC MATTRESSES.
- ALL THE POSITIONS ARE REALIZED BY A MECHANICAL DRIVER.
- THE TABLE IS FURNISHED WITH HARD, ROBUST STAINLESS STEEL SHELL WHICH PROVIDES THE SENSE OF
- DIRT FREE & SANITIZED OPERATIONS.
- PRECISION MADE HYDRAULIC SYSTEM WITH A SINGLE LEVER ACTION HYDRAULIC LIFE CONTROLLED BY A FOOT PEDAL.
- FIVE SECTION STAINLESS STEEL TOP GIVES ANATOMIC ADAPTATION TO THE PATIENT BODY.
- INBUILT KIDNEY BRIDGE AND LARGE PERINEA CUT OUT FOR DRAINAGE.
- MANUAL FLOOR LOCKING SYSTEM.

TECHNICAL DATA

TOP DIMENSION - L 1900MM X W 520MM
HEIGHT ADJUSTMENT - 762MM - 1000 MM
TRENDELENBRUG / REVERSE - 30° / 25°
LATERAL TILT - 20° / 20°
KIDNEY ELEVATOR - 150 MM
BACK REST (UP / DOWN) - 80° / 25°
LEG REST (UP / DOWN) - 15° / 90°
HEAD REST (UP / DOWN) - 20° / 60°
PATIENT WEIGHT CAPACITY - 200 KGS

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS, ACCESSORIES ARE SOLD SEPARATELY, AND ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

OT TABLE

OBSTETRIC GYNE TABLE

C SERIES



PRO OT - 700GH

TECHNICAL DATA

TOP DIMENSION - L 1630MM X W 550MM
HEIGHT ADJUSTMENT - 680MM - 1090 MM
SEAT PLATE (DOWN / UP) - 8° / 15°
BACK PLATE (DOWN / UP) - 70° / 10°
WARRANTY - 1 YEARS
BATTERY BACKUP - 2 HOURS (OPTINAL)
MAINS VOLTAGE - AC 220V+10% 50HZ
PATIENT WEIGHT CAPACITY - 200 KGS

PRO OT - 700GE

TECHNICAL DATA

TOP DIMENSION - L 1630MM X W 550MM
HEIGHT ADJUSTMENT - 680MM - 1090 MM
SEAT PLATE (DOWN / UP) - 8° / 15°
BACK PLATE (DOWN / UP) - 70° / 10°
WARRANTY - 1 YEARS
BATTERY BACKUP - 2 HOURS (OPTINAL)
MAINS VOLTAGE - AC 220V+10% 50HZ
PATIENT WEIGHT CAPACITY - 200 KGS



* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

OT TABLE

HYDRAULIC OT TABLE
(C-ARM COMPATIABLE)
(PRO OT -800H)

TECHNICAL DATA

TOP DIMENSION: L 1980MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LATERAL TILT: 20° / 20°
KIDNEY ELEVATOR: 130MM
BACK REST (UP / DOWN): 80° / 25°
LEG REST (UP / DOWN): 10° / 90°
HEAD REST (UP / DOWN): 45° / 90°
PATIENT WEIGHT CAPACITY: 200 KGS



FEATURES

- HYDRAULIC AND MECHANICAL OPERATED.
- THE BASE IS ECCENTRIC FOR TROUBLE-FREE C-ARM MOVEMENTS.
- LEG & HEAD SECTION ARE INTERCHANGEABLE.
- ECCENTRIC PILLARS, STAINLESS FITTING.
- DETACHABLE HEAD, LEG AND PELVIC SECTION.
- INBUILT KIDNEY BRIDGE.
- FIVE SECTIONAL RADIO-TRANSLUCENT.
- BASE AND COVER MADE OF ATTRACTIVE, EASY TO CLEAN STAINLESS STEEL.
- SOPHISTICATED MECHANICS PROVIDE SMOOTH, STEPLESS ARTICULATION OF THE TABLE TOP FOR PRECISE PATIENT POSITIONING

ELECTRIC OT TABLE
(C-ARM COMPATIABLE)
(PRO OT -800E)

TECHNICAL DATA

TOP DIMENSION: L 1980MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LATERAL TILT: 20° / 20°
KIDNEY ELEVATOR: 130MM
BACK REST (UP / DOWN): 80° / 25°
LEG REST (UP / DOWN): 10° / 90°
HEAD REST (UP / DOWN): 45° / 90°
PATIENT WEIGHT CAPACITY: 200 KGS

FEATURES

- HYDRAULIC AND MECHANICAL OPERATED.
- THE BASE IS ECCENTRIC FOR TROUBLE-FREE C-ARM MOVEMENTS.
- LEG & HEAD SECTION ARE INTERCHANGEABLE.
- ECENTRIC PILLARS, STAINLESS FITTING.
- DETACHABLE HEAD, LEG AND PELVIC SECTION.
- INBUILT KIDNEY BRIDGE.
- FIVE SECTIONAL RADIO-TRANSLUCENT.
- BASE AND COVER MADE OF ATTRACTIVE, EASY TO CLEAN STAINLESS STEEL.
- SOPHISTICATED MECHANICS PROVIDE SMOOTH, STEPLESS ARTICULATION OF THE TABLE
- TOP FOR PRECISE PATIENT POSITIONING.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

OT TABLE

ELECTRIC OT TABLE
(PRO OT-1000E)

TECHNICAL DATA

TOP DIMENSION: L 1980MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LATERAL TILT: 20° / 20°
KIDNEY ELEVATOR: 130MM
BACK REST (UP / DOWN): 80° / 25°
LEG REST (UP / DOWN): 10° / 90°
HEAD REST (UP / DOWN): 45° / 90°
PATIENT WEIGHT CAPACITY: 200 KGS

FEATURES

- FULLY ELECTRICAL OPERATED TABLE, FIVE SECTIONS, RADIO-TRANSLUCENT
- TABLE TOP WITH ECCENTRIC PILLARS AND STURDY BASE.
- INTERCHANGEABLE HEAD AND LEG SECTIONS (MANUALLY).
- ALL POSITIONS OPERATED THROUGH CABLE REMOTE.
- INBUIT KIDNEY BRIDGE
- AUTO LEVELING ZERO FUNCTION
- MAJOR PART OF TABLE IS MADE FROM 304 STAINLESS STEEL GRADE.
- HEAVY QUALITY CASTOR WHEEL.

ADVANCE ELECTRIC OT TABLE
(PRO OT-1500E)

TECHNICAL DATA

TOP DIMENSION: L 1980MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LATERAL TILT: 20° / 20°
KIDNEY ELEVATOR: 130MM
BACK REST (UP / DOWN): 80° / 25°
LEG REST (UP / DOWN): 10° / 90°
HEAD REST (UP / DOWN): 45° / 90°
PATIENT WEIGHT CAPACITY: 200 KGS

FEATURES

- FULLY ELECTRICALLY OPERATED TABLE, FIVE SECTIONS, RADIO-TRANSLUCENT TABLE TOP WITH ECCENTRIC PILLARS AND DIE COMPRESSED BASE.
- INTERCHANGEABLE HEAD AND LEG SECTIONS (MANUALLY).
- ALL POSITIONS OPERATED THROUGH CABLE REMOTE.
- ELECTRIC FLOOR LOCKING. (OPTIONAL)
- INBUILT KIDNEY BRIDGE.
- AUTO LEVELING (ZERO FUNCTION).
- WE ARE PROVIDING TWO HANDSETS. ADDITIONAL FIXED CONTROL PANEL PROVIDED ON THE TABLE TOP, WHICH CAN BE USED IN CASE OF FAILURE OF MAIN HAND SET.
- INDICATION OF BATTERY BACK PROVIDED IN THE HAND SET.
- HANDSET IS PROVIDING DUAL MEMORY FUNCTION WHICH CAN BE SET AND RESET.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

OT TABLE

OPTHALMIC OT TABLE
(PRO OT 1800H)

TECHNICAL DATA

TOP DIMENSION: L 1900MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LEG REST (UP / DOWN): 10° / 90°
STROKE LENGTH : 250MM
PATIENT WEIGHT CAPACITY: 150 KGS

FEATURES

- OPHTHALMIC OT TABLE HAS A MAXIMUM HEIGHT OF 1000 MM
- AND MINIMUM HEIGHT OF 760 MM.
- IDEAL FOR STANDING TABLE OR SITTING WORKING POSITION.
- IT IS AN IDEAL OPERATING TABLE WITH THE ADVANTAGES OF
- STRONG APPLICABILITY, EASY TO OPERATE.
- ADJUSTS CONVENIENTLY AND STEADY PERFORMANCE.
- ITS ERGONOMIC DESIGN ENSURES BOTH SURGEON AND PATIENT COMFORT.
- PATIENT COMFORT IS ASSURED WITH DEEP ANTISTATIC CUSHIONS
- WHICH ARE EASY TO CLEAN.
- THE ADJUSTABLE CUSHIONED HEAD-REST ENSURES DOCTOR COMFORT
- AND RESISTANT DURING OPERATIONS.

OPTHALMIC OT TABLE
(PRO OT 1800E)

TECHNICAL DATA

TOP DIMENSION: L 1900MM X W 530MM
HEIGHT ADJUSTMENT: 750MM -1050 MM
TRENDELENBURG / REVERSE: 30° / 25°
LEG REST (UP / DOWN): 10° / 90°
STROKE LENGTH : 250MM
PATIENT WEIGHT CAPACITY: 150 KGS

FEATURES

- OPHTHALMIC OT TABLE HAS A MAXIMUM HEIGHT OF 1000 MM
- AND MINIMUM HEIGHT OF 760 MM.
- IDEAL FOR STANDING TABLE OR SITTING WORKING POSITION.
- IT IS AN IDEAL OPERATING TABLE WITH THE ADVANTAGES OF
- STRONG APPLICABILITY, EASY TO OPERATE.
- ADJUSTS CONVENIENTLY AND STEADY PERFORMANCE.
- ITS ERGONOMIC DESIGN ENSURES BOTH SURGEON AND PATIENT COMFORT.
- PATIENT COMFORT IS ASSURED WITH DEEP ANTISTATIC CUSHIONS
- WHICH ARE EASY TO CLEAN.
- THE ADJUSTABLE CUSHIONED HEAD-REST ENSURES DOCTOR COMFORT
- AND RESISTANT DURING OPERATIONS.

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

OT TABLE

NEURO ATTACHMENT

FIXATOR FOR SITTING POSITIONS

HORSE SHOE POSITIONS

3 PIN SKULL FIXATOR

HORSE SHOE



ALBEE TYPE ORTHO ATTACHMENT



HANGING ORTHO ATTACHMENT

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

OT TABLE

OPERATING TABLE
ACCESSORIES



LITHOTOMY CRUTCHES

ARM REST

BODY SUPPORT

SHOULDER SUPPORT

CRUTCHES HOLDER STEEL CLAMP

FINGER GRIP

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

ELECTRIC TABLE C-ARM

MEASUREMENT



Finger Grip

Flex Position

Reflex Position

ENT Operation Position

Gynea Position

Lateral Arm Support

Trendelenburg

Reverse Trendelenburg

Left Tilt

Right Tilt

Kidney Bridge

Anorectum Operation Position

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

Procare

SINK STATION

FOOT OPERATED
HAND WASH SINK
STATION

TAP OPERATED
SINK STATION

WALL MOUNTED
HAND WASH SINK
STATION

SURGEON STOOL

SURGEON STOOL
MANUAL

SURGEON STOOL
HYDRAULIC

SURGEON STOOL
ELECTRIC

* PRODUCT IMAGES MAY VARY SLIGHTLY FROM THE ACTUAL ITEMS,
ACCESSORIES ARE SOLD SEPARATELY, AND
ALL PRODUCTS ARE FULLY CUSTOMIZABLE TO MEET YOUR SPECIFIC NEEDS.

WWW.PROCAREMEDFURN.COM

Procare

CATALOG

EDITION 2

3+
YEARS OF EXCELLENCE

1000+
PRODUCTS

875+

200+
SUCCESSFUL PROJECTS

ISO 9001:2015
ISO 13485:2016
International Organization for Standardization ISO 14001:2015
CE